

PRODUCT QUALITY ASSURANCE REPORT

Control FD for bioMerieux VIDAS NEPHROCLEAR CCL14, Level 1

Lot Number: 240238AA

Date: 12/10/24

Aalto Part Number:

21374

Audit Part Number:

K090M-8

Audit Lot Number:

07056-1

Date of Manufacture:

02/07/24

Expiration Date:

2026-02-07

FILL SIZE

2 mL

CCL14

1.24 ng/mL

By BioMerieux, VIDAS

Microbial Growth

< 100 CFU/mL

48 hours @ 37 °C

Reconstituted Stability

< 10 % loss

4 hours @ 2-8 °C

Reconstituted Stability

< 10 % loss

2 months after reconstitution @ -20 °C

Freeze/Thaw Stability

< 10 % loss

5 freeze-thaw cycles @ -20 °C

Coefficient of Variation

< 10 %

RECOMMENDED STORAGE:

2 – 8 °C

Aalto Scientific, Ltd. certifies that the bovine serum albumin used to manufacture this lot was obtained from cattle that have received ante and post mortem health inspections from US Veterinary Service Inspectors within facilities inspected by the US Department of Agriculture.

Compiled by:

Rahul Heccha

Date:

12/10/24

Reviewed by:

Skylar Tressen

Date:

12/10/24

Rev: (New)

CAUTION: FOR MANUFACTURING, PROCESSING, OR REPACKING

PRODUCT QUALITY ASSURANCE REPORT

Control FD for bioMerieux VIDAS NEPHROCLEAR CCL14, Level 2

Lot Number: 240239AA

Date: 12/10/24

Aalto Part Number:

21375

Audit Part Number:

K090M-8

Audit Lot Number:

07056-2

Date of Manufacture:

02/07/24

Expiration Date:

2026-02-07

FILL SIZE

2 mL

CCL14

12.05 ng/mL

By BioMerieux, VIDAS

Microbial Growth

< 100 CFU/mL

48 hours @ 37 °C

Reconstituted Stability

< 10 % loss

4 hours @ 2-8 °C

Reconstituted Stability

< 10 % loss

2 months after reconstitution @ -20 °C

Freeze/Thaw Stability

< 10 % loss

5 freeze-thaw cycles @ -20 °C

Coefficient of Variation

< 10 %

RECOMMENDED STORAGE:

2 – 8 °C

Aalto Scientific, Ltd. certifies that the bovine serum albumin used to manufacture this lot was obtained from cattle that have received ante and post mortem health inspections from US Veterinary Service Inspectors within facilities inspected by the US Department of Agriculture.

Compiled by:

Rachel Holton

Date:

12/10/24

Reviewed by:

Skylar Messer

Date:

12/10/24

Rev: (New)

CAUTION: FOR MANUFACTURING, PROCESSING, OR REPACKING