



SAFETY DATA SHEET EVALUATION

Date: 2023-10-17
Part Number(s): K761M-5
Product Name: Linearity FLQ HbA1c

The products identified above do not meet the criteria for classification in accordance with 29CFR1910.1200 (OSHA HCS) or Regulation (EC) No 1272/2008 (CLP). The products identified above do not contain any individual substances in concentrations at or above thresholds that require their identification in accordance Regulation (EC) No 1907/2006 (REACH) as amended by Regulation (EU) 2020/878.

This product is not intended for use in/on humans or animals. This material contains human and/or animal blood derivatives. This material should be handled as if it is capable of transmitting infectious disease. Dispose of in accordance with appropriate US, Federal, State and International regulations.

Disclaimer:

The information and recommendations contained herein are based upon tests and other information believed to be reliable. However, Aalto Scientific, Ltd., does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Aalto Scientific, Ltd. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of this information. No warranty against infringement of any patent, copyright or trademark is made or implied.